

**O** 

**O** 

0

0

12.10.16

12.04.11

07.10.02

04.01.27

DATE


REV. D


SCALE

SHEET 1 OF 7

D

С





## **D3245-043 DOOR ASSY**

QTY -043	P/N	DESCRIPTION
Х	D3245-043	ACCESS PANEL ASSY
.1	D3245-3	DOOR
1	D3245-7	GASKET
8	127H-35	GROMMET
8	2351-20-012-C3Y	STUD

D


D


С


NOTES:
1) MATERIAL: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) INSTALL D3245-7 GASKET USING 3M SCOTCH-GRIP 1300/1300L ADHESIVE IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS INSTRUCTIONS
7) ASSEMBLE IN ACCORDANCE WITH DART QSI 002
8) IDENTIFICATION: IDENTIFY WITH DART P/N "D3245-043" AND B/N "BXXXXX" PER QSI 044 METHOD 6.1
9) WEIGHT: 0.74 lbs


DESIGN	#	DART AEROSPACE LTD		
DRAWN		HAWKESBURY, ONTARIO, CANADA		
CHECKED	.00	DRAWING NO.	REV. D	
MFG. APPR.	<i>y</i> , °	D3245	SHEET 2 OF 7	
APPROVED	JAA	TITLE	SCALE	
DE APPR.	#-	ACCESS PANEL ASSY	NTS	
DATE 12.1	10.16	COPYRIGHT @ 2004 BY DART AEROSPACE LTD  THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY CITHER PERSON WITHOUT		

2










R0.13 TYP 0.80 TYP Ø0.325 THRU 8 PL -ф-45° REF, TYP -ф---7.80 TYP -ф-R0.50 TYP 0.400 TYP ] -ф-3.500 TYP 2.150 TYP - 0.34 TYP

**D3245-7 GASKET** 



## D3245-X GASKET

P/N	LENGTH
D3245-9	8.35
D3245-11	9.01
D3245-13	9.50

D

С

В

DESIGN	7	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CAN	IADA
CHECKED	100	DRAWING NO.	REV. D
MFG. APPR.		D3245	SHEET 7 OF 7
APPROVED	MA	TITLE	SCALE
DE APPR.		ACCESS PANEL ASSY	NTS
DATE 12.1	10.16	COPYRIGHT © 2004 BY DART AEROSPACE LTD  THIS DOQUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  NOT TO BE USED FOR ANY PURPOSE OR COPED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT  WATTEN PERMISSION FROM DART AEROSPACE LTD.	

NOTES:

1) MATERIAL: THERMO-CHEM P/N G-89, 0.060 THICK
POSSIBLE SUPPLIER: A.R. THOMSON GROUP

2) FINISH: NONE

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: N/A

6) IDENTIFICATION: N/A

7) WEIGHT: D3245-7 = 0.04 lbs; D3245-9/-11/-13 = LESS THAN 0.01 lbs

5